# **M**ALBEMARLE®

## STABROM® 909 Biocide

## Material Safety Data Sheet

Revision Date: 20-Nov-2009 Supersedes 22-Sep-2009

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** 

STABROM® 909 Biocide

**Chemical Name** 

Proprietary.

Chemical Family

Stabilized bromine biocide, aqueous solution

CAS-No

Mixture

Recommended use

Water treatment chemical

Company

Albemarle Corporation 451 Florida Street Baton Rouge, LA 70801

Health

**NFPA** 3

HMIS

**Emergency Telephone Numbers** 

225-344-7147

Flammability

0

For Non-Emergency

800-535-3030

**Physical Hazards** 

## 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Corrosive - causes irreversible eye damage

Causes skin burns Harmful if swallowed Harmful in contact with skin

Can decompose exothermically at elevated temperatures (see Environmental Protection, Storage Requirement Section for details)

#### **Potential Health Effects**

Eyes

Possible risks of irreversible effects.

Skin

Causes burns. Harmful in contact with skin.

Inhalation Ingestion

In the event of fire and/or explosion do not breathe fumes. Not expected to be acutely toxic.

Harmful If swallowed.

See Section 11 for additional Toxicological information.

Occupational Exposure Limit

See Section 8

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Сотролепт	CAS-No	Weight %
Halogenated complex		18
Sodium hydroxide	1310-73-2	<10

Revision Date: 20-Nov-2009

#### **4. FIRST AID MEASURES**

Ad Lib Eye contact If medical advice is needed: Have product container or label at hand.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

Skin Contact

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation

Move to fresh air.

Ingestion

If swallowed, Call a physician or Poison Control Centre immediately, Have person sip a glass of water if able to swallow. Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person.

Notes to Physician

Probable mucosal damage may contraindicate the use of gastric lavage.

#### 5. FIRE-FIGHTING MEASURES

Combustion/explosion hazards

Not available.

Suitable Extinguishing Media

Not required

**Hazardous Combustion Products** 

Bromine. Chlorine

Protective Equipment and **Precautions for Firefighters**  In the event of fire and/or explosion do not breathe fumes.

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** 

Ensure adequate ventilation...

**Environmental precautions** 

Contain any spill with dikes or absorbents to prevent migration and entry into sewers or streams. Large spills should be collected mechanically (remove by pumping) for disposal. May require excavation of contaminated soil. Take up small spills by first diluting with water and then using a dehalogenating agent such as sodium thiosulfate

solution.

**Methods for Clean-up** 

Soak up with inert absorbent material (e.g. sand, silica gel, universal binder, sawdust).

Revision Date: 20-Nov-2009

#### 7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Avoid freezing, excessive heat or exposure to light, especially direct sunlight. If heating is necessary to prevent freezing, care must be taken to prevent overheating. Precautions should be taken to ensure that the average product temperature is maintained below 110F. Temperature monitoring is recommended. At elevated temperatures, self-heating can lead to vigorous gas generation and over-pressurization of storage containers if appropriate controls are not in place. Avoid exposure of this product to incompatible materials/chemicals (see Reactivity Data section). Use of incompatible materials can promote the exothermic decomposition of the product. In extreme cases, this could result in vigorous gas formation and over-pressurization of the storage container. STORAGE CONTAINER: Vented and opaque containers: As the product ages, activity is gradually lost and pressure can build-up in the headspace (nitrogen); therefore, the product should be stored in vented containers. Product should also be stored in opaque containers to prevent exposure to light. To maximize product shelf life, store the product in an opaque container, in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	CAS-No	Weight %	ACGIHTLV (TWA)	ACGIH (STEL or Ceiling)	OSHA PËL (TWA)	OSHA (STEL or Celling)
Sodium hydroxide	1310-73-2	<10		2mg/m³ (Ceiling)	2mg/m³	2mg/m³ (Ceiling)

**Engineering Controls** 

Use only in well-ventilated areas.

Personal Protective Equipment

Eye/face Protection

Chemical goggles or face shield with safety glasses.

Skin Protection

Wear protective gloves/clothing.

Hand protection

Gloves resistant to chemical permeation.

Other Information

Wear suitable protective clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Flash** point Form

**Boiling Point** 

Color

Odor

рΗ

Not applicable.

Liquid

12.4(min.)

106°C

Viscosity, dynamic **Oxidizing Properties** 

Yellow. Mild. Sweet.

~2.7cPs(25°C) Oxidizer

Flammable limits (LEL, UEL)

Vapor pressure

Density Vapor density

Water Solubility Melting/freezing point Viscosity, kinematic

No data available 19 mmHg(25°C)

1.29-1.37 g/ml(25°C) No data available

Miscible. 0 °C / 32°F ~2cSt(25°C)

Revision Date: 20-Nov-2009

#### **10. STABILITY AND REACTIVITY**

Stability

Stable.

**Conditions to Avoid** 

Protect from light. Extremes of temperature and direct sunlight. Keep away from heat.

Freezing,

Materials to avoid

This product is strongly basic and an oxidizing agent. Avoid contact with alcohols, aldehydes, strong reducing agents, strong oxidizers, acids, ammonia-containing products, and common metals such as steel, aluminum, iron and copper. Use of incompatible

materials can promote the exothermic decomposition of the product.

Hazardous decomposition products

None under normal use.

Hazardous Polymerization

None under normal processing.

#### 11. TOXICOLOGICAL INFORMATION

#### **Acute Effects**

Eye contact

Possible risks of irreversible effects.

Skin contact Ingestion

Causes burns.
Harmful if swallowed.

LD50 Oral: LD50 Dermal; Inhalation LC50 2491 mg/kg >2000 mg/kg > 20.37mg/l

### 12. ECOLOGICAL INFORMATION

Ecotoxicity

LC50

3.8 mg whole material/L; 96-hour; Bluegill Sunfish Lepomis Macrocirus

**Ecotoxicity effects** 

No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose in a safe manner in accordance with local/national regulations.

Revision Date: 20-Nov-2009

## 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

Corrosive Liquids, Basic, Inorganic, N.O.S. (Halogenated Complex, Sodium Hydroxide)

Hazard Class 8
UN No. 3266
Packing Group III

Description UN 3266 Corrosive liquid, Basic, Inorganic, N.O.S. (Halogenated complex, Sodium

hydroxide), 8, III

IMDG/IMO

IMO Class 8
Packing Group III
UN-No 3266
IMO Labelling and Marking 8

IMO Labelling and Marking Proper Shipping Name

Corrosive liquid, Basic, Inorganic, N.O.S. (Halogenated complex, Sodium hydroxide)

ŒmŚ

F-A, S-B

Marpol - Annex II Marpol - Annex III Not determined Unregulated

Transport Description

UN 3266 Corrosive liquid, Basic, Inorganic, N.O.S. (Halogenated complex, Sodium

hydroxide), 8, III

IATA/ICAO

IATA/ICAO Class 8
Packing Group III
UN-No 3266
IATA/ICAO Labelling 8
Passenger Aircraft Forbidden

Passenger Aircraft Forbidden
Cargo aircraft only Forbidden
Corrective

Proper shipping name Transport Description Corrosive liquid, Basic, Inorganic, N.O.S. (Halogenated complex, Sodium hydroxide) UN 3266 Corrosive liquid, Basic, Inorganic, N.O.S. (Halogenated complex, Sodium

hydroxide), 8, Ill

## 15. REGULATORY INFORMATION

International Inventories	TSCA	DSL	NDSL	AICS	EINECS	ELINCS	ENCS	KECL	PICCS	CHINA	NZIoC	l
STABROM® 909 Biocide	-	-	-	X.	-		-	Х	X	X	X	ļ

(X) Complies

(-) Does not Comply

#### **TSCA Statement**

THIS MATERIAL IS EXEMPT FROM THE TOXIC SUBSTANCES CONTROL ACT (15 USC 2601-2629)...

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Chronic Health Hazard No
Acute Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Reportable and Threshold Planning Quantities

The following components have RQs and/or TPQs under SARA and/or CERCLA

Revision Date: 20-Nov-2009

#### FIN00246 - STABROM® 909 Biocide

Component	CAS-No	Weight %	SARA 302 RQ, lbs	CERCLA RQ, lbs	SARA 302 TPQ, lbs	ĺ
Sodium hydroxide	1310-73-2	<10		1000		

#### **State Regulations**

This product contains the following chemicals regulated in the states listed below.

Component	CAS-No	California Prop. 65	Massachusetts	New Jersey	Pennsylvania
Sodium hydroxide	1310-73-2		Listed.	Listed,	Listed.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### WHMIS Hazards

E Corrosive material D2B Toxic materials

#### **16. OTHER INFORMATION**

Prepared By

Health & Environment Department

Albemarle Corporation

FOR ADDITIONAL NONEMERGENCY PRODUCT INFORMATION, CONTACT:

HEALTH AND ENVIRONMENT DEPARTMENT

ALBEMARLE CORPORATION

451 FLORIDA ST. BATON ROUGE, LA. 70801

(800) 535-3030

The information contained herein is accurate to the best of our knowledge. The Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.